


CE CLOSED-END REFLECTOR DIRECT SURFACE UV STERILIZERS SPECS



In ten models with lamp configurations of one to four, these fixtures direct and confine the ultraviolet rays to specific areas. They are designed for use over conveyor lines, laboratory benches or with adjustable legs for product sterilization. Lamp lengths of 4, 6, 8, 12, 18 & 36 inches are available with germicidal and/or blacklight ultraviolet.

Technical Data

1 Lamp Models	Lamp #	UV Watts	Length	Lamp Life
CE-30-C	GML010	8.3	37"	10,000 hours
CE-20-C	GML025	5.5	27"	10,000 hours
CE-10-C	GML020	2.8	18 ¹ / ₈ "	10,000 hours
CE-36	GML005	13.8	37"	10,000 hours
CE-10-SL	GML060	5.3	18 ¹ / ₈ "	10,000 hours
CE-30-H	GML220	8.3	37"	10,000 hours
CE-25-H	GML215	5.0	18 ¹ / ₈ "	10,000 hours
CE-15-H	GML210	3.6	18 ¹ / ₈ "	10,000 hours

Note: For the 2, 3 and 4 lamp models the UV output increases by the number of UV lamps used.

CE-M MINIATURE CLOSED-END REFLECTOR UV FIXTURES

Miniature Closed-End reflector fixtures are designed for blacklight and germicidal applications. Blacklight and blacklight blue lamps are interchangeable with germicidal lamps which allow the CE-4-H, CE-6-H and CE-8-H to be utilized for ultraviolet inspection and detection applications.



Miniature Closed-end reflector fixtures are completely assembled with a cast aluminum handle, power cord and on/off switch. 120V/60Hz electrical operation is standard. Lamp lengths of 4, 6, 8 & 12 inches are available with germicidal and/or blacklight ultraviolet in 1- and 2-lamp models.

1 Lamp Models	Lamp #	UV Watts	Length
CE-12-H	GML125	6.0	12"
CE-8-H	GML205	1.5	12"
CE-6-H	GML195	1.0	9"
CE-4-H	GML180	0.5	6"

2 Lamp Models	Lamp #	UV Watts	Length
CE-12-H	GML125 (2)	12.0	12"
CE-8-2H	GML205 (2)	3.0	12"
CE-6-2H	GML195 (2)	2.0	9"

Caution: Care should be taken to ensure that personnel are not exposed to direct or reflected UV light. Suitable eye and skin protection should be employed when light is in operation. Before cleaning or relamping, always turn the power OFF.



CE GERMICIDAL / BLACKLIGHT DIRECT UV FIXTURES PRICES

CE reflector fixtures are designed to direct and confine the UV rays to a specific area. CE units are available with 1, 2, 3 or 4 germicidal (254nm) and/or blacklight (365nm) UV lamps for various applications.

Length	Model	Description
37"		Closed end reflector fixture (37" L x 7¼" W x 7½" D)
	CE-30-C	One cold cathode (GML010) lamp
	CE-30-2C	Two cold cathode (GML010) lamps
	CE-30-3C	Three cold cathode (GML010) lamps
	CE-30-4C	Four cold cathode (GML010) lamps
	CE-36	One slimline (GML005) lamp
	CE-36-2	Two slimline (GML005) lamps
	CE-36-3	Three slimline (GML005) lamps
	CE-36-4	Four slimline (GML005) lamps
	CE-30-H	One hot cathode (GML220) lamp
	CE-30-2H	Two hot cathode (GML220) lamps
	CE-30-3H	Three hot cathode (GML220) lamps
	CE-30-4H	Four hot cathode (GML220) lamps
	CE-30-BL	One black light (BLL065) lamp no filter/white
	CE-30-2BL	Two black light (BLL065) lamps no filter/white
	CE-30-3BL	Three black light (BLL065) lamps no filter/white
	CE-30-4BL	Four black light (BLL065) lamps no filter/white
	CE-30-BLB	One black light blue (BLL070) lamp filter/blue
	CE-30-2BLB	Two black light blue (BLL070) lamps filter/blue
CE-30-3BLB	Three black light blue (BLL070) lamps filter/blue	
CE-30-4BLB	Four black light blue (BLL070) lamps filter/blue	
27"		Closed end reflector fixture (27" L x 7-1/4" W x 7-1/2" D)
	CE-20-C	One cold cathode (GML025) lamps
	CE-20-2C	Two cold cathode (GML025) lamps
	CE-20-3C	Three cold cathode (GML025) lamps
	CE-20-4C	Four cold cathode (GML025) lamps
18"		Closed end reflector fixture (18" L x 7-1/4" W x 7-1/2" D)
	CE-10-C	One cold cathode (GML020) lamp
	CE-10-2C	Two cold cathode (GML020) lamps
	CE-10-3C	Three cold cathode (GML020) lamps
	CE-10-SL	One slimline (GML060) lamp
	CE-10-2SL	Two slimline (GML060) lamps
	CE-10-4SL	Four slimline (GML060) lamps
	CE-25-H	One hot cathode (GML215) lamp
	CE-25-2H	Two hot cathode (GML215) lamps
	CE-25-3H	Three hot cathode (GML215) lamps
	CE-25-4H	Four hot cathode (GML215) lamps



Length	Model	Description
18"		Closed end reflector fixture (18" L x 7-1/4" W x 7-1/2" D) continued
	CE-15-H	One hot cathode (GM210) lamp
	CE-15-2H	Two hot cathode (GML210) lamps
	CE-15-3H	Three hot cathode (GM210) lamps
	CE-15-4H	Four hot cathode (GML210) lamps
	CE-15-BL	One black light (BLL040) lamp no filter/white
	CE-15-2BL	Two black light (BLL040) lamps no filter/white
	CE-15-3BL	Three black light (BLL040) lamps no filter/white
	CE-15-4BL	Four black light (BLL040) lamps no filter/white
	CE-15-BLB	One black light blue (BLL045) lamp filter/blue
	CE-15-2BLB	Two black light blue (BLL045) lamps filter/blue
	CE-15-3BLB	Three black light blue (BLL045) lamp filter/blue
	CE-15-4BLB	Four black light blue (BLL045) lamp filter/blue
12"		Closed end reflector fixture (12" L x 3-1/2" W x 4" D) handle, power cord, & switch
	CE-12-H	One hot cathode (GML125) lamp
	CE-12-2H	Two hot cathode (GML125) lamps
	CE-8-H	One hot cathode (GML205) lamp
	CE-8-2H	Two hot cathode (GML205) lamps
	CE-8-BL	One black light (BLL030) lamp no filter/white
	CE-8-2BL	Two black light (BLL030) lamps no filter/white
	CE-8-BLB	One black light blue (BLL035) lamp filter/blue
	CE-8-2BLB	Two black light blue (BLL035) lamps filter/blue
9"		Closed end reflector fixture (9" L x 3-1/2" W x 4" D) handle, power cord & switch
	CE-6-H	One hot cathode (GML195) lamp
	CE-6-2H	Two hot cathode (GML195) lamps
	CE-6-BL	One black light (BLL020) lamp no filter/white
	CE-6-2BL	Two black light (BLL020) lamps no filter/white
	CE-6-BLB	One black light blue (BLL025) lamp filter/blue
	CE-6-2BLB	Two black light blue (BLL025) lamps filter/blue
6"		Closed end reflector fixture (6" L x 3-1/2" W x 4" D) handle, power cord & switch
	CE-4-H	One hot cathode (GML180) lamp
	CE-4-BL	One black light (BLL010) lamp no filter/white
	CE-4-BLB	One black light blue (BLL015) lamps filter/blue
		Double Vision, portable battery operated black light
	BLL090	Handheld, battery operated unit with one black light (BLL015) lamp filter/blue
	BLL091	AC adapter for BLL090
		Accessories - use with 18" - 37" CE fixtures for free standing adjustable position
	AL	Adjustable (10"-39") tripod leg stand for CE fixtures